

# **BUTTLER®** ASH RECEPTACLE

PRODUCT DATA





# **BUTTLER®** ASH RECEPTACLE

PRODUCT DATA


**Buttler Ash Receptacles** acknowledge society's changing views towards smoking by offering an aesthetic and discreet solution for the disposal of cigarette butts. Unlike exposed-sand containers, the Buttler conceals discarded cigarettes, keeping the unsightly well out of sight. Buttlers are made for easy servicing and include an internal gasket to inhibit smoldering.

# **MATERIAL & CONSTRUCTION DETAILS**

# **INSTALLATION & MAINTENANCE**

BODY	FINISHES	INSTALLATION	MAINTENANCE
Cylinder is made of extruded aluminum with two cast aluminum end caps with powdercoat finish.     A grooved inner wall assists in extinguishing cigarettes and discourages the	See the Forms+Surfaces Powdercoat Chart for details. Custom RAL colors are available for an upcharge.     Due to the nature of metal castings, gloss powdercoats are not offered for cast components.	Pole mount: Surface mounted 48" (1219 mm) high pole with 2.5" (63 mm) diameter includes mounting plate.  Wall mount: Tubular stainless steel bracket allows Buttler to be mounted to walls or other vertical surfaces.  Strap mount: Stainless steel bracket system allows Buttler to be attached to existing lampposts, street signs or similar vertical supports (medium Buttler only).	Surfaces can be cleaned as needed using a soft cloth or brush with warm water and a mild detergent. Stains or spotting from cigarettes may be removed using a biodegradable cleaner such as Simple Green. Avoid abrasive cleaners.      The bottom end casting incorporates a key-operated security latch to prevent unauthorized access. When unlocked, the cylinder can be lowered and removed for emptying.
placement of litter inside.  The cigarette graphic is applied in either white or black depending on cylinder color.		Litter & recycling receptacle mount: A special bracket is available that allows Buttler to be attached to the side of Forms+Surfaces' Urban Renaissance Litter & Recycling Receptacles. Prep must be specified at the time of order (medium Buttler only).	

#### NOMINAL DIMENSIONS



MODEL	OVERALL HEIGHT	OVERALL WIDTH	OVERALL DEPTH	OVERALL WEIGHT
SUBUT-MDS	47.9" (1217 mm)	6" (152 mm)	7.6" (193 mm)	11 lbs (5 kg)
SUBUT-MDW	12.4" (315 mm)	4.5" (114 mm)	6.1" (155 mm)	9 lbs (4 kg)
SUBUT-MDB	12.4" (315 mm)	4.5" (114 mm)	4.2" (107 mm)	4 lbs (2 kg)
SUBUT-MDR	12.4" (315 mm)	4.5" (114 mm)	4.2" (107 mm)	4 lbs (2 kg)
SUBUT-LGS	47.9" (1217 mm)	6" (152 mm)	9.4" (239 mm)	14 lbs (6 kg)
SUBUT-LGW	16.8" (427 mm)	6" (152 mm)	7.8" (198 mm)	9 lbs (4 kg)

#### T 800.451.0410 | www.forms-surfaces.com





### **BUTTLER®** ASH RECEPTACLE

PRODUCT DATA

#### **ENVIRONMENTAL CONSIDERATIONS**

- Please refer to the Buttler Receptacle Environmental Data Sheet for detailed environmental impact information.
- Buttler has up to 73% recycled content.
- All components are fully recyclable.
- Standard powdercoat finishes are no-VOC; non-standard powdercoat finishes are no- or low-VOC, depending on color.
- Low maintenance.

#### MODEL NUMBERS AND DESCRIPTIONS

MODEL	DESCRIPTION
SUBUT-MDS	Medium Buttler, pole mount
SUBUT-MDW	Medium Buttler, wall mount
SUBUT-MDB	Medium Buttler, strap mount
SUBUT-MDR	Medium Buttler, receptacle mount
SUBUT-LGS	Large Buttler, pole mount
SUBUT-LGW	Large Buttler, wall mount

#### PRODUCT OPTIONS

The following options are available for an upcharge

Premium Texture Colors from Forms+Surfaces Powdercoat Chart	
Custom RAL powdercoat color	

LEAD TIME: 6 to 8 weeks. Shorter lead times may be available upon request. Please contact us to discuss your specific timing requirements.

**PRICING:** Please contact us at **800.451.0410** or **sales@forms-surfaces.com**. At Forms+Surfaces, we design, manufacture and sell our products directly to you. Our sales team is available to assist you with questions about our products, requests for quotes, and orders. Territory Managers are located worldwide to assist with the front-end specification and quoting process, and our in-house Project Sales Coordinators follow your project through from the time you place an order to shipment.

**TO ORDER SPECIFY:** Quantity, model, cylinder finish, end cap finish, pole or wall mount bracket finish if applicable. Quote/Order Forms are available on our website to lead you through the specification process in a simple checkbox format.

