



INDELAGUE GROUP

INDELAGUE ROXO lighting



Oreo.





OVERVIEW

OREO RANGE							
							
	OREO In	OREO Out	OREO V In	OREO V Out	OREO / C	OREO Linea Down	OREO Linea Up
Type of Application							
Light Distribution							
Dimensions	Ø 650x35 mm Ø 970x35 mm Ø 1255x35 mm Ø 1540x35 mm Ø 1955x35 mm	Ø 630x35 mm Ø 950x35 mm Ø 1270x35 mm Ø 1555x35 mm Ø 1970x35 mm	Ø 650x35 mm Ø 970x35 mm Ø 1255x35 mm Ø 1540x35 mm Ø 1955x35 mm	Ø 630x35 mm Ø 950x35 mm Ø 1270x35 mm Ø 1555x35 mm Ø 1970x35 mm	Ø 630x45 mm	1014x35x35 mm 1514x35x35 mm 2014x35x35 mm	
Optical System	bLINE 						
Colour Temperature	TunableWhite RGBW 2700K 4000K						
Finishes	<ul style="list-style-type: none"> <li style="width: 50%;">○ White <li style="width: 50%;">● Golden eye <li style="width: 50%;">● Grey <li style="width: 50%;">● Sahara <li style="width: 50%;">● Black <li style="width: 50%;">● Autumn <li style="width: 50%;">● Blue <li style="width: 50%;">● Rusty chain <li style="width: 50%;">● Green <li style="width: 50%;">● Pure chocolate <li style="width: 50%;">● Yellow <li style="width: 50%;">● Mist <li style="width: 50%;">● Red <li style="width: 50%;">● Dark rock <li style="width: 50%;">● Jungle <li style="width: 50%;">● Carbon 						
Ceiling Roses					--		
CRI	CRI>90						
Technology and Innovation	OmniaControl Voice   App						

MINIMALISM AND TECHNOLOGY





Shown in real size



3.5 mm

bLINE



FINISHES

WHITE



GREY



BLACK



BLUE



GREEN



YELLOW



RED



JUNGLE



PURE CHOCOLATE



SAHARA




MIST




GOLDEN EYE



DARK ROCK




AUTUMN



CARBON



RUSTY CHAIN



OREO
RANGE



OREO In
Suspended

OREO /C
Surface/Wall mounted

OREO RANGE





OREO Linea Down
Suspended


OREO Out
Suspended

OREO Linea Up
Suspended

OREO V Out
Suspended

OREO V In
Suspended

OREO In




AVAILABLE
SIZES




Ø 650 mm




Ø 970 mm



Ø 1255 mm



Ø 1540 mm




Ø 1955 mm

OREO Out



AVAILABLE
SIZES



OREO V In

— AVAILABLE
SIZES —



Ø 650 mm



Ø 970 mm



Ø 1255 mm



Ø 1540 mm



Ø 1955 mm

OREO V Out



AVAILABLE
SIZES



Ø 630 mm



Ø 950 mm



Ø 1270 mm



Ø 1555 mm




Ø 1970 mm






OREO / C



— AVAILABLE
— SIZE —



Ø 630 mm



AVAILABLE
VERSIONS



Out



In/Out





OREO Linea Down



AVAILABLE
SIZES



1014 mm



1514 mm



2014 mm

OREO Linea Up




AVAILABLE
SIZES



1014 mm



1514 mm



2014 mm







BESPOKE PROJECTS
UNDER REQUEST





INDELAGUE
GROUP

HEADQUARTERS

INDÚSTRIA ELÉTRICA DE ÁGUEDA S.A.
Rua da Mina 465 | Covão
Zona industrial EN1 Norte
Apartado 106 / 3754-909
3750-792 Trofa
ÁGUEDA | PORTUGAL
GPS: 40°36'5.84"N 8°27'4.38"W
T. +351 234 612 310 | F. +351 234 624 058
indelague@indelague.pt
WWW.INDELAGUE.COM

UNITED KINGDOM

ROXO LIGHTING LIMITED
roxo.london@roxolighting.com
WWW.ROXOLIGHTING.COM

SPAIN

INDELAGUE ESPAÑA, S.L.
Avenida del Ejército, nº 8 - 1º C
C.P. 15006 | A CORUÑA | ESPAÑA
comercial@indelague.com
WWW.INDELAGUE.COM



All data contained in this brochure does not constitute any commitment to INDELAGUE - Indústria Eléctrica de Águeda, S.A. . The company itself, reserves the right to change or modify any information stated without prior notice. The reproduction of this brochure or any part of it is prohibited. Electric /Optical data are subject to an initial tolerance of +/- 10%. Tolerance of colour temperature: +/- 150 K. Unless stated otherwise, the technical data represent rated values for an ambient temperature of 25°C.

Cofinanciado por:



UNIÃO EUROPEIA
Fundo Europeu
de Desenvolvimento Regional